



US008451127B2

(12) **United States Patent**
Bychkov et al.

(10) **Patent No.:** **US 8,451,127 B2**
(45) **Date of Patent:** ***May 28, 2013**

(54) **JACKET LOCATOR**

(56) **References Cited**

(75) Inventors: **Eyal Bychkov**, Hod Hasharon (IL); **Tal Engelstein**, Ramat Gan (IL); **Yair Leshem**, Tel Aviv (IL); **Uri Ron**, Tel Aviv (IL); **Ron Levy**, Savyon (IL); **Hagit Perry**, Herzilya (IL)

U.S. PATENT DOCUMENTS

5,625,673	A	4/1997	Grewe et al.
5,628,055	A	5/1997	Stein
5,809,115	A	9/1998	Inkinen
5,893,037	A	4/1999	Reele et al.
5,907,815	A	5/1999	Grimm et al.
6,188,917	B1	2/2001	Laurenti
6,201,867	B1	3/2001	Koike
6,243,578	B1	6/2001	Koike
6,477,357	B1	11/2002	Cook

(Continued)

FOREIGN PATENT DOCUMENTS

EP	1871075	A1	12/2007
GB	2438448	A1	11/2007

(Continued)

(73) Assignee: **Google Inc.**, Mountain View, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **13/567,057**

(22) Filed: **Aug. 5, 2012**

Primary Examiner — Brent Swarthout

(74) *Attorney, Agent, or Firm* — Soquel Group LLC

(65) **Prior Publication Data**

US 2012/0306647 A1 Dec. 6, 2012

Related U.S. Application Data

(63) Continuation of application No. 12/476,261, filed on Jun. 2, 2009, now Pat. No. 8,258,960.

(60) Provisional application No. 61/130,784, filed on Jun. 2, 2008.

(51) **Int. Cl.**
G08B 13/14 (2006.01)

(52) **U.S. Cl.**
USPC **340/572.8**; 340/539.13; 340/539.32;
455/414.2; 455/456.1; 455/556.1

(58) **Field of Classification Search**
USPC 340/572.8, 539.13, 539.32, 568.1,
340/568.7, 571; 455/414.2, 456.1, 556.1,
455/575.1, 90.3, 558, 557, 426.1, 550.1;
379/433.11

See application file for complete search history.

(57) **ABSTRACT**

A locator system for electronic devices including at least one jacket for a modular wireless communicator, each jacket having an identifier, and a modular wireless communicator that attaches to each one of the at least one jacket, including a positioning system for identifying a location of the modular wireless communicator, a log manager for recording a plurality of entries in a log, each entry including the jacket identifier for a jacket currently attached to the modular wireless communicator, and a current location as identified by the positioning system, and a controller for notifying the log manager of occurrence of a log trigger event, wherein the log manager records a new entry in the log when it receives a notification of a log trigger event from the controller, and wherein the log trigger events enable determination of a location where a jacket was last actively used with the modular wireless communicator.

20 Claims, 7 Drawing Sheets

100

